In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

ANIMA Sp. z o.o. Badania – Produkcja – Usługi Krakow

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 1/9

SECT	ION 1: Identification of the m	nixture and the company			
1.1	Product identifier:				
		II) a sub su sta - 50/ 0 s. (01:00.1)			
	Coated granulated cobait (II) carbonate 5% Co (3b304)			
		Contains: cobalt (II) carbonate (3b302)			
1.2		the substance and uses advised against			
10	For animal nutrition (premixe				
1.3.	Details of the supplier of Safety Data Sheet ANIMA Sp. z o.o. Badania – Produkcja – Usługi				
	ul. Dziekanowicka 8a	- Flodukcja – Oslugi			
	31-670 Krakow, Poland				
	tel.: +48 12 418 26 38;				
	fax: +48 12 418 20 40;				
	e-mail: msds@anima.net.pl	-			
1.4.	Emergency telephone num				
	+48 12 418 26 38 (from 7 AM	/i to 4 PM)			
OFOT	ION 2: Hazards identification				
SECT	ION 2: Hazards Identification				
2.1.	Classification of the mixtu	re			
	Classificat	tion in accordance with Regulation (EC) 1272/2008 (CLP)			
		The mixture was classified as hazardous.			
	Resp. Sens. 1	athrea averations av by athing difficulties if inhalad			
	Skin. Sens. 1	asthma symptoms or breathing difficulties if inhaled.			
	H317 May cause an allergic	skin reaction			
Muta. 2 H341 Suspected of causing genetic defects.					
	H360F May damage fertility. Aquatic Acute 1				
	H400 Very toxic to aquatic li	fe			
	Aquatic Chronic 1				
	H410 Very toxic to aquatic li	fe with long lasting effects.			
2.2.	Label elements				
		accordance with Regulation (EC) 1272/2008.			
	Signal word	DANGER			
	Hazard pictograms				
		GHS08 GHS09			
	H334 May cause allergy or a	asthma symptoms or breathing difficulties if inhaled.			
	H317 May cause an allergic				
	H341 Suspected of causing				
	H350i May cause cancer by				
	H360F May damage fertility.				
	H410 Very toxic to aquatic li	fe with long lasting effects.			
	Precautionary statements Prevention				
	Prevention P201	Obtain special instructions before use.			
	P261	Avoid inhaling dust.			
	P280	Wear protective gloves/protective clothing/eye protection/face protection.			

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

Coated granulated cobalt (II) carbonate 5 % Co

Date of	issue: 12.02.2014	Date of revision: 05.08.2015	Page/pages 2/9
	P273	Avoid release to the environment.	
	Response P333 + 313	If skin irritation or rash occurs: Get medical advice/attention	
P342 + P311		If experiencing respiratory symptoms: Call a POISON CENT doctor/physician.	TER or
	P308 + P313 Disposal	If exposed or concerned: Get medical advice/attention.	
	P501	Dispose of contents / container as hazardous waste.	
2.3.	Other hazards		
	The product does no	t contain ingredients meeting PBT or vPvB criteria.	

SECTION 3: Composition/information on ingredients					
3.2.	Mixture Chemical nature: cob	palt (II) carbonate diluted with dolon	nite (calcium magnesium carb	onate).	
	Substance name	Identifier	Classification ad 1272/2008	,	weight %
	cobalt (II) carbonate	Index 027-010-00-8 CAS No. 513-79-1 EC No. 208-169-4 Registration no.: 01- 2119513233-54-0006	Acute Tox. 4 Carc. 1B Muta. 2 Repr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H350i H341 H360F H334 H317 H400 H410	10,5 – 10,9

Comprehensive definitions of H hazard statements are provided in item 16.

Description of first aid measures

4.1

SECTION 4: First aid measures

	Emergency and first-aid procedures: Remove the affected person from the area contaminated by the product. Inhalation:
	 Remove the affected person to fresh air. Settle in comfortable position. Keep the affected person warm and calm.
	 In the event of irregular breathing or no breath, administer artificial respiration. Maintain clear airway. Call doctor/physician immediately.
	Ingestion:
	• Flush mouth with water, give the affected person 2-3 glasses of water to drink. Do not induce vomiting.
	 Do not give anything to swallow if the affected person is unconscious. If necessary, transport to a hospital. Keep the affected person calm, warm and in horizontal position.
	Eye contact:
	• Remove contact lenses. Wash affected eyes with large volume of lukewarm water for 15 minutes, with eyelids rolled up. From time to time place the upper eyelid on the lower one.
	If necessary, call an ophtalmologist.
	Skin contact:
	Remove contaminated clothing and shoes.
	Clean contaminated skin, wash with plenty of water, then wash with water and mild soap.
4.0	In the event of a persisting skin irritation, consult a dermatologist.
4.2.	Most important acute and delayed symptoms and effects of exposure
	Inhalation: cough, breathing difficulty, dyspnoea.
	Ingestion: stomach ache, vomiting.
	Skin/eye contact: Irritation, flush.

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 3/9

4.3. Indications of any immediate medical attention and special treatment of the affected person. The workplace should have available the immediate first aid measures.

SECTION 5: Fire-fighting measures

SECTION 6: Accidental release measures

5.1.	Extinguishing media
	Suitable extinguishing media for extinguishing fire in vicinity:
	dry chemical powder, water spray, carbon dioxide (CO ₂), foam.
	Unsuitable extinguishing media:
	Not applicable.
5.2.	Special hazards arising from the substance or mixture
	Combustion products:
	The product may decompose in high temperature, releasing hazardous gases containing cobalt oxides.
	Explosive mixtures:
	Not applicable.
5.3.	Advice for fire-fighters
	Extinguishing the fire:
	Use standard methods of extinguishing chemical fires.
	Containers exposed to high temperature should be cooled with water.
	Containers exposed to high temperature should be cooled with water. Remove from affected area.
	Remove from affected area.
	Remove from affected area. Suppress vapours with water mist.
	Remove from affected area. Suppress vapours with water mist. Prevent the release of fire extinguishing water into the environment.
	Remove from affected area. Suppress vapours with water mist. Prevent the release of fire extinguishing water into the environment. Protective equipment for fire-fighters:
	Remove from affected area. Suppress vapours with water mist. Prevent the release of fire extinguishing water into the environment.

Personal precautions, protective equipment and emergency procedures 6.1. Personal precautions Ensure proper ventilation. Avoid direct contact with the product. Avoid creating and inhaling dust. Persons providing help services should wear protective clothing from natural materials, protective gloves, sealing safety glasses and airway protective measures as required. In the event of accidental release of the product, employ relevant procedures of informing local citizens and authorities, and order evacuation of third persons from the area of cleaning. 6.2. **Environmental precautions** Prevent contamination of the environment. Safeguard the inspection chambers. In the event of a serious contamination of a waterway, sewage system or soil, notify relevant administrative and control authorities, and rescue organizations. 6.3. Methods and materials for containment and cleaning-up Secure the damaged containers. Ventilate the affected area, avoid inhaling dusts. Suppress dust with water mist. Collect the scattered mixture mechanically with industrial vacuum cleaners and absorbent materials (soil, dry sand, diatomite, vermiculite). Place the product mass collected from the environment in an appropriate container and hand over for disposal. 6.4. **References to other sections** Personal precaution: section 8 Disposal methods: section 13.

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

ANIMA Sp. z o.o. Badania – Produkcja – Usługi Krakow

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 4/9

.1.	Precautions for safe handling						
	Advice for handling the mixture	:					
	Ensure proper ventilation.						
	Prevent the creation of dust.						
	Avoid contact with eyes, skin and	Avoid contact with eyes, skin and clothing.					
	Prevent release into the sewage s						
	Follow the general provisions o	f industrial health and	safety regulation	ons.			
	Do not eat, drink or smoke when ι	using this product.					
	Replace contaminated clothing.						
	Wash hands thoroughly after hand						
	Wash the contaminated clothing b						
	Do not remove the contaminated of		ace.				
	Wash hands and face before takin						
.2.	Conditions for safe storage, inc	luding any incompatib	ilities				
	Workrooms must be ventilated.						
	Container should be sealed.						
	Store products only in original con	tainers.					
	Keep in a dry and cool place.						
	Keep away from heat sources.						
	Storage temperature: below 25 °C.						
	Materials to avoid: acids. After use, open containers should be carefully resealed and left in vertical position.						
				position.			
	Handle open containers with extra						
	Read and understand the Safety I						
		acoutions boforo uso					
2		ecautions before use.					
.3.	Specific end use(s)	ecautions before use.					
.3.		ecautions before use.					
	Specific end use(s)						
ECT	Specific end use(s) No data available.						
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters	Il protection					
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl	Il protection	of 6 Juno 2014 (Ja	urnal of Laws ita	n 917) on mavim		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister	Il protection K environment, r of Labour and Social Policy	of 6 June 2014 (Jc working environme	ournal of Laws, iter	m 817) on maxim		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of a	Il protection k environment, r of Labour and Social Policy agents harmful to health in the	working environment	nt, as amended. TLV-STEL	TLV-CL		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE	Il protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER	working environme TLV (mg/m ³)	nt, as amended.			
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of SUBSTANCE Metallic cobalt – vapours and	Il protection k environment, r of Labour and Social Policy agents harmful to health in the	working environment	nt, as amended. TLV-STEL	TLV-CL		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of SUBSTANCE Metallic cobalt – vapours and dusts	Al protection K environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ECT .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released	Al protection K environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ЕСТ .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of SUBSTANCE Metallic cobalt – vapours and dusts	Al protection K environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ECT .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ЕСТ .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workplaces.	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ЕСТ .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in worl pursuant to the Regulation of the Minister permissible concentration and intensity of SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces.	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workplaces.	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ЕСТ .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workplaces.	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
ECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workplaces.	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
SECT	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workpla	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is	working environment TLV (mg/m ³) 0.02	nt, as amended. TLV-STEL	TLV-CL		
.3. ECT	Specific end use(s) No data available. No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workplaces Individual protection measures Eye or face protection	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is acces.	working environme TLV (mg/m ³) 0.02 intended.	nt, as amended. TLV-STEL	TLV-CL		
ЕСТ .1.	Specific end use(s) No data available. ION 8: Exposure control/Individua Control parameters National exposure limits in work pursuant to the Regulation of the Minister permissible concentration and intensity of a SUBSTANCE Metallic cobalt – vapours and dusts Air contaminants are not released Exposure control Appropriate engineering contro Efficient ventilation in workplaces. Use exhaust ventilation in workpla	Al protection k environment, r of Labour and Social Policy agents harmful to health in the IDENTIFIER CAS No. 7440-48-4 if the product is used as Is acces.	working environme TLV (mg/m ³) 0.02 intended.	nt, as amended. TLV-STEL	TLV-CL		

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 5/9



Hand protection

Use protective gloves – rubber, neoprene, PVC, in accordance with EN374. Choose glove material according to breakthrough time, penetration rate and degradation. It is recommended to change gloves on a regular basis and replace them immediately in the case of any signs of wear, damage (tear, puncture) or change in appearance (colour, flexibility, shape). Apply protective cream on unprotected body parts.

Body protection

Protective clothing (suit). Protective footwear.



Respiratory protection

In the event of exceeding the threshold limit values, use respiratory protections with P2 filters, according to PN-EN:143.

Environmental exposure controls

Do not release into soil and ground waters. Emissions from ventilation systems and process equipment should be monitored. If required, use safeguards to limit emission levels.

General advice on occupational health and safety

Employ good personal hygiene practices.

The personal protection measures should meet the requirements set forth in the Regulation of the Minister of Economy of 21 December 2005 on the essential requirements for personal protection measures (Journal of Laws No. 259, item 2173).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Auto-ignition temperature:Not applicableDecomposition temperature:280°C (for cobalt (II) carbonate)Viscosity:Not applicableExplosive properties:Not applicableOxidising properties:Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity:

Non-reactive in recommended storage conditions.

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12 02 2014

0/02005 6/0

Date of	issue: 12.02.2014	Date of revision: 05.08.2015	Page/pages 6/9		
10.2	Chemical stability				
	The mixture is chemic	ally stable in recommended storage and use conditions.			
10.3	Hazardous reactions	:			
	None.				
10.4	Conditions to avoid:				
	Avoid creation of dusts. Keep away from heat sources.				
10.5					
	Acids.				
10.6	Hazardous decompo				
	Decomposition does r	not occur if the product is stored and used as recommended.			
SECT	ION 11: Toxicological i	nformation			
OLOI		inormation			
11.1	Information on toxic	ological effects			
	Routes of entry:	biogical effects			
		yes, respiratory tract, digestive tract.			
	Acute toxicity				
	cobalt (II) carbonate				
	DL_{50} (oral, rat): 640 m	a/ka			
Skin corrosion/irritation: Not found.					
					Serious eye damage
	May cause irritation.				
	Respiratory or skin s	sensitisation:			
		asthma symptoms or breathing difficulties if inhaled.			
	May cause an allergic	skin reaction.			
	Impact on respirator				
	May cause cancer by				
	Impact on digestive	tract			
	Harmful if swallowed.				
	Carcinogenicity				
	May cause cancer by				
	Reproductive genote	oxicity:			
	May damage fertility.				
		n toxicity – single exposure:			
	Suspected of causing				
		n toxicity – chronic exposure:			
	Possible risk of irrever	rsible effects.			
1					

SECTION 12: Ecological information

12.1	Toxicity
	Very toxic to aquatic life with long lasting effects. Acute toxicity No data available.
12.2	Persistence and degradability
	No data available.
12.3	Bioaccumulative potential
	No data available.
12.4	Mobility in water and soil
	No data available.
12.5	PBT and vPvB assessment results
	The PBT/vPvB assessment was not performed, since the chemical safety assessment is not required.
12.6	Other adverse effects
	No data available.

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

ANIMA Sp. z o.o. Badania – Produkcja – Usługi Krakow

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 7/9

SECT	ION 13: Disposal considerations				
13.1.	Waste disposal methods				
	Do not release the product into water or sewers, do not landfill on municipal dumpsites. Container disposal method:				
Empty the contaminated containers from mixture residuals. Cleaned containers may be re-used (e.g. Bags).					
	Containers unsuitable for cleaning should be handed over to licensed company for disposal. Waste code Act of 27 April 2001 on waste (Journal of Laws No. 62, item 628, as amended). Regulation of the Minister of Environment of 27 September 2001 on the waste catalogue (Journal of Laws No. 112 item 1206). Waste code: 16 03 03 Container waste code: 15 01 10				
SECT	ION 14: Transport information				
		ADR/RID	IMGD	ΙΑΤΑ	
14.1.	UN-Number	3077	3077	3077	
14.2.	UN proper shipping name		ALLY HAZARDOUS (contains cobalt (II		
1/1 2	Transport bazard class(es)	0	<u> </u>	0	

		0000, 11.0.0		oursonate
14.3.	Transport hazard class(es)	9	9	9
	Limited Quantities	LQ27	-	-
	Warning label no. 9	, MD,	€	, Mh,
		9		9
14.4.	Packaging group	III		III
14.5.	Environmental hazards	yes	yes	yes
14.6.	Special precautions for users	Tunnel restriction code: (E)	EMS F-A, S-F	
14.7.	Bulk transport in accordance with Anne	x II to MARPOL 73/78	and IBC Code	
	Not applicable.			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) no. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006, as amended.
- Commission Regulation (EC) no. 790/2009 of 10 August 2009, amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures, as amended.
- Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Act of 25 February 2011 on chemical substances and preparations (Journal of Laws No. 63, item 322).
- Regulation of the Minister of Health of 20 April 2012 on labeling of packaging of hazardous substances and preparations and certain chemical preparations (Journal of Laws of 2012, item 445).
- Regulation of the Minister of Health of 2 September 2003 on the criteria and classification of chemical substances and preparations (Journal of Laws No. 171, item 1666); as amended on 15 October 2004 (Journal of Laws No. 243, item 2440), 4 September 2007 (Journal of Laws No. 174, item 1222) and 5 March 2009 (Journal of Laws No. 43, item 353).

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 8/9

- Regulation of the Minister of Labour and Social Policy of 29 November 2002 (Journal of Laws No. 217, item 1833) on maximum permissible concentration and intensity of agents harmful to health in the working environment, as amended on 10 October 2005 (Journal of Laws No. 212, item 1769), 30 August 2007 (Journal of Laws No. 161, item 1142), 16 June 2009 (Journal of Laws No. 105, item 873), 29 July 2010 (Journal of Laws No. 141, item 950) and 16 December 2011 (Journal of Laws No. 274, item 1621).
- Act of 27 April 2001 on waste (Journal of Laws No. 62, item 628, as amended).
- Regulation of the Minister of Environment of 9.12.2014 on the waste catalogue (Journal of Laws of 29.12.2014, item 1923).
- Classification of dangerous goods according to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
- Regulation of the Minister of Labour and Social Policy of 26 September 1997 on general occupational health and safety regulations (Journal of Laws of 1997 No. 129, item 844, as amended).
- Regulation of the Minister of Health of 30 December 2004 on the occupational health and safety related to the chemical factors in the working environment (Journal of Laws of 2005 No. 11, item 86, as amended).
- Regulation of the Minister of Economy of 21 December 2005 on the essential requirements for personal protection measures (Journal of Laws No. 259, item 2173).
- COMMISSION IMPLEMENTING REGULATION (EU) No 131/2014 of 11 February 2014 amending Implementing Regulation (EU) No 601/2013 concerning the authorisation of cobalt(II) acetate tetrahydrate, cobalt(II) carbonate, cobalt(II) carbonate hydroxide (2:3) monohydrate, cobalt(II) sulphate heptahydrate and coated granulated cobalt(II) carbonate hydroxide (2:3) monohydrate as feed additives.

15.2. Chemical safety assessment

Chemical safety assessment was performed for the ingredient: cobalt (II) carbonate.

SECTION 16: Other information

Definition of H hazard phrases in section: 3

H302 Harmful if swallowed

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Recommended limitations of use:

Product intended only for professional use.

Training advice:

Read and understand the Safety Data Sheet before use.

Other sources of information:

Explanation of abbreviations and acronyms used in the Safety Data Sheet

CAS No. (Chemical Abstracts Service)

EC No. means one of the three numbers provided below:

EINECS – number assigned to the substance in the European Inventory of Existing Commercial Chemical Substances. **ELINCS** – number assigned to the substance on the European List of Notified Chemical Substances.

(NLP) – number on the list of chemical substances "No Longer Polymers".

(NLF) - number on the list of chemical substances "No Longer Polymers".

TLV – threshold limit value of hazardous substances in the working environment.

TLV-STEL – Threshold Limit Value – Short-term exposure limit.

TLV-CL – Threshold Limit Value – Ceiling Limit

UN-Number - Identification number of the material.

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID – Regulations Concerning International Transport of Dangerous Goods by Rail.

IMDG - International Maritime Dangerous Goods Code.

IATA – International Air Transport Association

Other sources of information

IUCLID International Uniform Chemical Information Database

ESIS European Chemical Substances Information System

ECHA Website

Other information:

The product described in the Safety Data Sheet should be stored and used in accordance with good industrial practices and an applicable provisions of the law.

In acc. with Commission Regulation (EU) no. 453/2010 of 20 May 2010

Coated granulated cobalt (II) carbonate 5 % Co

Date of issue: 12.02.2014

Date of revision: 05.08.2015

Page/pages 9/9

The objective of the information provided in the Safety Data Sheet, based on the current state of knowledge, is to describe the product from the standpoint of legal regulations on safety, health and environmental protection. The information herein should not be understood as a warranty of properties.

The user is responsible for providing appropriate conditions for safe use of the product and shall bear full liability for consequences of improper use of this product.