

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 05/16/2017

Version 1.3

## SISECTION 1.Identification

#### **Product identifier**

Product number 119789

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub>

in HNO<sub>3</sub> 0.5 mol/l 1000 mg/l Mn CertiPUR®

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

# Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

#### **SECTION 2. Hazards identification**

## **GHS Classification**

Corrosive to Metals, Category 1, H290 Skin irritation, Category 2, H315 Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **GHS-Labeling**

Hazard pictograms



Signal Word Warning

Hazard Statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary Statements

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

#### Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

# Hazardous ingredients

Chemical name (Concentration)

CAS-No.

nitric acid (>= 1 % - < 5 % )

7697-37-2

Exact percentages are being withheld as a trade secret.

#### **SECTION 4. First aid measures**

## Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

## Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

#### Indication of any immediate medical attention and special treatment needed

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

No information available.

## **SECTION 5. Fire-fighting measures**

# Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

# Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet.

## SECTION 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### **Environmental precautions**

No special precautionary measures necessary.

# Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H+, Art. No. 101595).

Dispose of properly. Clean up affected area.

# SECTION 7. Handling and storage

## Precautions for safe handling

Observe label precautions.

#### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Tightly closed.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/l 1000 ma/l Mn CertiPUR®

Store at +15°C to +25°C (+59°F to +77°F).

# SECTION 8. Exposure controls/personal protection

## Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

nitric acid 7697-37-2

**ACGIH** Time Weighted Average 2 ppm

(TWA):

Short Term Exposure

4 ppm

Limit (STEL): NIOSH/GUIDE Recommended

2 ppm exposure limit (REL): 5 mg/m<sup>3</sup>

Short Term Exposure

Limit (STEL):

4 ppm 10 mg/m<sup>3</sup>

OSHA\_TRANS PEL: 2 ppm 5 mg/m<sup>3</sup>

Z1A Time Weighted Average 2 ppm

(TWA):

5 mg/m<sup>3</sup>

Short Term Exposure

4 ppm Limit (STEL): 10 mg/m<sup>3</sup>

## **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

## Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm

Break through time: > 480 min

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

# SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor odorless

Odor Threshold Not applicable

pH ca. 0.5

at 68 °F (20 °C)

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) Not applicable

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Mn CertiPUR®

Density ca.1.014 g/cm3

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature

No information available.

Decomposition temperature

No information available.

Viscosity, dynamic

No information available.

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Corrosion

May be corrosive to metals.

# SECTION 10. Stability and reactivity

#### Reactivity

See below

#### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of:, nitrous gases, Hydrogen

Violent reactions possible with:

The generally known reaction partners of water.

increased reactivity with:

oxidizable substances, organic solvent, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids

# Conditions to avoid

Heating.

## Incompatible materials

Metals, metal alloys (generation of hydrogen)

## Hazardous decomposition products

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

no information available

# **SECTION 11. Toxicological information**

# Information on toxicological effects

Likely route of exposure
Eye contact, Skin contact

Target Organs

Eyes Skin

Respiratory system

teeth

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

## Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

carcinogen by ACGIH.

## **Further information**

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# Ingredients

nitric acid

Skin irritation

Rabbit

Result: Causes severe burns.

(IUCLID)

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

# **SECTION 12. Ecological information**

## **Ecotoxicity**

No information available.

# Persistence and degradability

No information available.

# Bioaccumulative potential

No information available.

# Mobility in soil

No information available.

# Ingredients

nitric acid

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 72 mg/l; 96 h (IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -2.3

OECD Test Guideline 107

Bioaccumulation is not expected.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO₃)₂ in HNO₃ 0.5

mol/I 1000 mg/I Mn CertiPUR®

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant 2482 Pa\*m³/mol Method: (calculated)

(Lit.) Distribution preferentially in air.

## **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **SECTION 14. Transport information**

Land transport (DOT)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID NOT MORE THAN 5%)

Class 8
Packing group III
Environmentally hazardous ---

Air transport (IATA)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID SOLUTION)

Class 8
Packing group III
Environmentally hazardous --Special precautions for user no

Sea transport (IMDG)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID NOT MORE THAN 5%)

Class 8
Packing group III
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-B

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

# **SECTION 15. Regulatory information**

## **United States of America**

## **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

nitric acid 7697-37-2 2.429 %

## **SARA 302**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Ingredients

nitric acid 7697-37-2

# **DEA List I**

Not listed

#### **DEA List II**

Not listed

# **US State Regulations**

## Massachusetts Right To Know

Ingredients

nitric acid

# Pennsylvania Right To Know

Ingredients

nitric acid

## **New Jersey Right To Know**

Ingredients

nitric acid

## California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

#### **SECTION 16. Other information**

## Training advice

Provide adequate information, instruction and training for operators.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119789 Version 1.3

Product name Manganese standard solution traceable to SRM from NIST Mn(NO<sub>3</sub>)<sub>2</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Mn CertiPUR®

# Labeling

Hazard pictograms



# Signal Word Warning

#### Hazard Statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

## Precautionary Statements

## Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

#### Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals. H315 Causes skin irritation.

H315 Causes skin irritation.
H319 Causes serious eye irritation.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date05/16/2017

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.