

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### Air Flow Classic / Air Flow Classic COMFORT

Flavour (Tropical, Mint, Cherry, Cassis, Lemon)

Version number: 5.0

Replaces version of: 2016-06-03 (4)

Revision: 2016-07-15

First version: 2013-02-12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

<b>Trade name</b>	<b>Air Flow Classic / Air Flow Classic COMFORT</b> Flavour (Tropical, Mint, Cherry, Cassis, Lemon)
<b>Registration number (REACH)</b>	not relevant (mixture)
<b>CAS number</b>	not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Relevant identified uses</b>	Cleansing of teeth
<b>E-mail address of competent person responsible for the SDS</b>	sdb@csb-online.de

Please do not use this e-mail adress to ask for the latest safety data sheet. For this purpose contact Dr. Wittmann GmbH & Co. KG.

### 1.3 Details of the supplier of the safety data sheet

Dr. Wittmann GmbH & Co. KG	Telephone: ++49 (0) 6251 – 770769- 0
Rieslingstraße 8	Telefax: ++49 (0) 6251 – 770769- 99
64673 Zwingenberg	
Germany	

### 1.4 Emergency telephone number

As above or next toxicological information centre.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

# Air Flow Classic / Air Flow Classic COMFORT

## 2.3 Other hazards

There is no additional information.



## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
sodium hydrogencarbonate	CAS No 144-55-8  EC No 205-633-8	> 90		
citral	CAS No 5392-40-5  EC No 226-394-6  Index No 605-019-00-3	≤ 0.001	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	
D-limonene	CAS No 5989-27-5  EC No 227-813-5  Index No 601-029-00-7	≤ 0.0001	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

# Air Flow Classic / Air Flow Classic

## COMFORT

---

### **Following inhalation**

Provide fresh air.

### **Following skin contact**

Wash with plenty of soap and water.

### **Following eye contact**

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

### **Following ingestion**

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

### **Notes for the doctor**

none

## **4.2 Most important symptoms and effects, both acute and delayed**

These information are not available.

## **4.3 Indication of any immediate medical attention and special treatment needed**

none

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

water, foam, alcohol resistant foam, fire extinguishing powder

#### **Unsuitable extinguishing media**

water jet

### **5.2 Special hazards arising from the substance or mixture**

Hazardous decomposition products: Section 10.

### **5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### **Special protective equipment for firefighters**

use suitable breathing apparatus

# Air Flow Classic / Air Flow Classic

## COMFORT

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose it.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

take up mechanically

##### Advices on how to clean up a spill

Take up mechanically.

Collect spillage.

##### Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

#### 6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

##### Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

##### Measures to protect the environment

Avoid release to the environment.

# Air Flow Classic / Air Flow Classic COMFORT

## Advice on general occupational hygiene

Do not to eat, drink and smoke in work areas.  
 Wash hands after use.  
 Preventive skin protection (barrier creams/ointments) is recommended.  
 Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2 Conditions for safe storage, including any incompatibilities

### Explosive atmospheres

None.

### Flammability hazards

None.

### Incompatible substances or mixtures

Incompatible materials: see section 10.

### Protect against external exposure, such as

heat, humidity

### Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

### Ventilation requirements

Provision of sufficient ventilation.

### Packaging compatibilities

Keep only in original container.

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
EU	carbon dioxide	124-38-9		IOELV	5,000	9,000			2006/15/EC
GB	carbon dioxide	124-38-9		WEL	5,000	9,150	15,000	27,400	EH40/2005
GB	cycloalkanes (>C7)	5989-27-5		WEL		800			EH40/2005

#### Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

# Air Flow Classic / Air Flow Classic COMFORT

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
D-limonene	5989-27-5	DNEL	33.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture					
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
D-limonene	5989-27-5	PNEC	5.4 µg/l	freshwater	short-term (single instance)
D-limonene	5989-27-5	PNEC	0.54 µg/l	marine water	short-term (single instance)
D-limonene	5989-27-5	PNEC	1.8 mg/l	sewage treatment plant (STP)	short-term (single instance)
D-limonene	5989-27-5	PNEC	1.32 mg/kg	freshwater sediment	short-term (single instance)
D-limonene	5989-27-5	PNEC	0.13 mg/kg	marine sediment	short-term (single instance)
D-limonene	5989-27-5	PNEC	0.262 mg/kg	soil	short-term (single instance)

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Use safety goggle with side protection.

#### Hand protection

Material
IIR: isobutene-isoprene (butyl) rubber
FKM: fluoro-elastomer
NBR: acrylonitrile-butadiene rubber
NR: natural rubber, latex
PVC: polyvinyl chloride

# Air Flow Classic / Air Flow Classic

## COMFORT

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Respiratory protection

Particulate filter device (EN 143).

### Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid
Form	powder
Colour	white
Odour	faintly perceptible
Odour threshold	these information are not available

#### Other safety parameters

pH (value)	8.1 (20 °C)
Melting point/freezing point	slow decomposition
Initial boiling point and boiling range	these information are not available
Flash point	not applicable
Evaporation rate	these information are not available
Flammability (solid, gas)	non-combustible
Explosion limits of dust clouds	not determined
Vapour pressure	these information are not available
Density	0.7 - 1.15 g/cm <sup>3</sup> at 20 °C
Vapour density	these information are not available
Relative density	these information are not available

# Air Flow Classic / Air Flow Classic

## COMFORT

---

### Solubility(ies)

Water solubility 95 g/l at 20 °C

### Partition coefficient

n-octanol/water (log KOW) these information are not available

Auto-ignition temperature not relevant  
(Solid matter)

Relative self-ignition temperature for solids these information are not available

Decomposition temperature these information are not available

### Viscosity

Kinematic viscosity not relevant  
(solid matter)

Dynamic viscosity not relevant  
(solid matter)

Explosive properties not explosive

Oxidising properties shall not be classified as oxidising

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat.

### 10.5 Incompatible materials

acids



# Air Flow Classic / Air Flow Classic

## COMFORT

### 10.6 Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
sodium hydrogencarbonate	144-55-8	oral	LD50	>4,000 mg/kg	rat
sodium hydrogencarbonate	144-55-8	inhalation: dust/mist	LC50	>4,740 mg/l/4h	rat
citral	5392-40-5	oral	LD50	4,960 mg/kg	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

# Air Flow Classic / Air Flow Classic

## COMFORT

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium hydrogencarbonate	144-55-8	LC50	7,100 mg/l	bluegill (Lepomis macrochirus)	96 h
sodium hydrogencarbonate	144-55-8	EC50	4,100 mg/l	daphnia magna	48 h
D-limonene	5989-27-5	LC50	702 µg/l	fathead minnow (Pimephales promelas)	96 h

#### Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

#### Aquatic toxicity (chronic) of components of the mixture

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium hydrogencarbonate	144-55-8	NOEC	>576 mg/l	aquatic invertebrates	21 d

### 12.2 Persistence and degradability

#### Biodegradation

Data are not available.

# Air Flow Classic / Air Flow Classic COMFORT

## Persistence

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	Log KOW
D-limonene	5989-27-5	4.23

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## 12.6 Other adverse effects

Data are not available.

### Endocrine disrupting potential

None of the ingredients are listed.

### Remarks

Water hazard class - WHC (Wassergefährdungsklasse): 1 (Slightly hazardous to water)

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions.

# Air Flow Classic / Air Flow Classic COMFORT

## SECTION 14: Transport information

**14.1 UN number** not subject to transport regulations

**14.2 UN proper shipping name** -

**14.3 Transport hazard class(es)**  
**Class** -

**14.4 Packing group** -

**14.5 Environmental hazards** -

**14.6 Special precautions for user**  
There is no additional information.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.

### **14.8 Information for each of the UN Model Regulations**

**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**  
Not subject to ADR, RID and ADN.

**International Maritime Dangerous Goods Code (IMDG)**  
Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR)**  
Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Relevant provisions of the European Union (EU)**

**Restrictions according to REACH, Annex XVII**  
none of the ingredients are listed

**List of substances subject to authorisation (REACH, Annex XIV)**  
none of the ingredients are listed

**Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**  
none of the ingredients are listed

# Air Flow Classic / Air Flow Classic COMFORT

**Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

none of the ingredients are listed

**Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

none of the ingredients are listed

**Regulation 98/2013/EU on the marketing and use of explosives precursors**

none of the ingredients are listed

**Regulation 648/2004/EC on detergents**

Labelling of contents	
Wt%	Constituents
< 5 %	CITRAL
	perfumes

## SECTION 16: Other information

**Indication of changes (revised safety data sheet)**

Indication of changes: Section 1.1

**Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2006/15/EC	Comission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )

## Air Flow Classic / Air Flow Classic COMFORT

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
Skin Sens.	skin sensitisation
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

### Key literature references and sources for data

# Air Flow Classic / Air Flow Classic COMFORT

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.  
Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).  
International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties.  
Health hazards.  
Environmental hazards.  
The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

List of relevant phrases (code and full text as stated in chapter 2 and 3)	
Code	Text
H226	flammable liquid and vapour
H315	causes skin irritation
H317	may cause an allergic skin reaction
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

## Responsible for the safety data sheet

C.S.B. GmbH  
Düsseldorfer Str. 113  
47809 Krefeld

Telephone: ++49 (0) 2151 - 652086 - 0  
Telefax: ++49 (0) 2151 - 652086 - 9  
E-mail: [info@csb-online.de](mailto:info@csb-online.de)  
Website: [www.csb-online.de](http://www.csb-online.de)

## Disclaimer

This information is based upon the present state of our knowledge.  
This SDS has been compiled and is solely intended for this product.