(according to Regulation (EC) No. 1907/2006)



Oust Aerosol Outdoor Scent

Version 3.0 Revision Date 16.02.2011

Print Date 22.02.2011 Specification Number: 35000009494 SITE FORM Number: 30000000000008450.002

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information	
Product identifier	

: Oust Aerosol Outdoor Scent

Relevant identified uses of the substance or mixture and uses advised against	: Deodorizer
Details of the supplier of the safety data sheet	: SC Johnson Ltd. Frimley Green Camberley Surrey GU16 7AJ
Telephone	: +441276852000
E-mail address	ask.uk@scj.com
Emergency telephone number	: Consumer Care Center UK - 0800 353 353 Ireland - 1800 409 176

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture	:	F+	Extremely flammable
Label elements			
Symbol(s)	:	*	
R-phrase(s)	:	R12	Extremely flammable.
S-phrase(s)	:	S 2 S16 S23 S26 S51	Keep out of the reach of children. Keep away from sources of ignition - No smoking. Do not breathe spray. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Use only in well-ventilated areas.
	:	to temperat Do not piere	s directed. I container. Protect from sunlight and do not expose ures exceeding 50 °C. ce or burn, even after use. Do not spray on a naked y incandescent material.
			1/8

(according to Regulation (EC) No. 1907/2006)



Oust Aerosol Outdoor Scent

Version 3.0 Revision Date 16.02.2011	Print Date 22.02.2011 Specification Number: 35000009494 SITE FORM Number: 300000000000008450.002		
	Before spraying, remove birds. After use, ventilate normally prior to returning birds to treated area. People suffering from perfume sensitivity should be cautious when using this product. Air fresheners do not replace good hygiene practices.		
Other hazards	 Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. 		

See section 11 for more detailed information on health effects and symptoms.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	Reg. No.	CAS-No.	Symbol(s)	R-phrase(s)	Weight percent
Propane	200-827-9	-	74-98-6	F+	R12	>= 10.00 - < 20.00
sobutane	269-792-5	-	75-28-5	F+	R12	>= 1.00 - < 5.00
WEL substance						
Butane	203-448-7	-	106-97-8	F+	R12	>= 10.00 - < 20.00
FIRST AID MEASURE	-					
Description of first	aid measures					
Inhalation			esh air. g is affected,	get medical a	attention.	
Skin contact			n plenty of wat al attention if		elops and pers	sists.
Eye contact			n plenty of wat al attention if		elops and pers	sists.
Ingestion	Rin	se mou	nduce vomitin uth with water ns persist, cal			
Most important syn	nptoms and effe	ects, b	oth acute an	d delayed		
Eyes			e eyes. se effects exp	ected when u	sed as directe	d.
		/ irritat				

(according to Regulation (EC) No. 1907/2006)



Oust Aerosol Outdoor Scent

	Cont
/ersion 3.0 Revision Date 16.02.2011	Print Date 22.02.201 Specification Number: 3500000949 SITE FORM Numbe 300000000000008450.00
Inhalation	 Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed.
Ingestion	: May cause abdominal discomfort. No adverse effects expected when used as directed.
Potential environmental effects	: Not classified as Environmentally Hazardous according to Directive 1999/45/EC, as amended.
•	e medical attention and special treatment easures unless otherwise stated.
. FIRE-FIGHTING MEASURES	
Extinguishing media	
Suitable	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable	: None identified
Special hazards arising from the substance or mixture	: Heating may cause an explosion. In case of fire and/or explosion do not breathe fumes. Exposure to decomposition products may be a hazard to health.
Advice for firefighters	: In the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves. Refer to current EN or National standard as appropriate.
Further information	: Use water spray to cool unopened containers.
. ACCIDENTAL RELEASE MEA	SURES
Personal precautions	: Use personal protective equipment. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning	: If damage occurs to aerosol can: Contain spillage, and then collect with non-combustible
	3/8

SAFETY DATA SHEET ohnson (according to Regulation (EC) No. 1907/2006) A FAMILY COMPANY **Oust Aerosol Outdoor Scent** Version 3.0 Print Date 22.02.2011 Revision Date 16.02.2011 Specification Number: 35000009494 SITE FORM Number: 300000000000008450.002 up absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). 7. HANDLING AND STORAGE Handling Precautions for safe : Do not breathe vapours or spray mist. handling For personal protection see section 8. Do not smoke. Take precautionary measures against static discharges. Do not use in areas without adequate ventilation. Do not puncture. Use explosion-proof equipment. Do not spray on a naked flame or any incandescent material. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Storage Conditions for safe storage, Pressurized container: protect from sunlight and do not expose • including any to temperatures exceeding 50 °C. Do not pierce or burn, even incompatibilities after use. No smoking. Store in cool place. Keep out of the reach of children. No decomposition if stored and applied as directed. Specific end uses : Deodorizer 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
Butane	106-97-8	1,810 mg/m3	750 ppm		UK_WELSTEL
		1,450 mg/m3	600 ppm		UK_WELTWAS
Exposure controls					
Hand protection	of EU from it	Directive 89	/686/EEC	es have to satisfy t and the standard E n them with soap a	EN 374 derived
Eye protection	: No sp	ecial require	ments.		
Skin and body protection	: Wash	contaminate	ed clothing	before re-use.	
4/8					

(according to Regulation (EC) No. 1907/2006)



Oust Aerosol Outdoor	Scent
Version 3.0 Revision Date 16.02.2011	Print Date 22.02.201 Specification Number: 35000009494 SITE FORM Number 30000000000000008450.002
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
9. PHYSICAL AND CHEMICAL PI	OPERTIES
Information on basic physic	al and chemical properties
Appearance	: aerosol
Colour	: colourless
Odour	: characteristic
Odour Threshold	: no data available
рН	: 8.5 - 9.0
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: no data available
Flash point	: <7 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper/lower flammability or explosive limits	: no data available
Vapour pressure	: Calculated54 psi at 21 °C
Vapour density	: no data available
Relative density	: no data available
Solubility(ies)	: partly soluble
Partition coefficient: n- octanol/water	: no data available
Autoignition temperature	: no data available
Decomposition temperature	: no data available
Viscosity, dynamic	: no data available

(according to Regulation (EC) No. 1907/2006)



ust Aerosol Outdoor	Scent
rsion 3.0 vision Date 16.02.2011	Print Date 22.02.20 Specification Number: 35000000949 SITE FORM Numbe 3000000000000008450.00
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
STABILITY AND REACTIVIT	ГҮ
Possibility of hazardous reactions	: None known.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None.
Hazardous decomposition products	: Stable under normal conditions.
Information on toxicologic Acute oral toxicity	al effects : LD50 estimated > 2 g/kg May cause abdominal discomfort.
Acute oral toxicity	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met.
	: LD50 estimated > 2 g/kg May cause abdominal discomfort.
Acute oral toxicity	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed.
Acute oral toxicity	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 > 2 g/kg No adverse effects expected when used as directed.
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 > 2 g/kg No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. May cause skin irritation in susceptible persons.
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 > 2 g/kg No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. May cause skin irritation in susceptible persons. Based on available data, the classification criteria are not met.
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Eye damage/irritation	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 2 g/kg No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 2 g/kg No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. May cause skin irritation in susceptible persons. Based on available data, the classification criteria are not met.
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Eye damage/irritation Sensitisation	 LD50 estimated > 2 g/kg May cause abdominal discomfort. Based on available data, the classification criteria are not met. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation. No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 2 g/kg No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. LD50 2 g/kg No adverse effects expected when used as directed. Based on available data, the classification criteria are not met. May cause skin irritation in susceptible persons. Based on available data, the classification criteria are not met. May irritate eyes. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

(according to Regulation (EC) No. 1907/2006)



Oust Aerosol Outdoor Scent Version 3.0 Print Date 22.02.2011 Revision Date 16.02.2011 Specification Number: 350000009494 SITE FORM Number: 300000000000008450.002 Toxicity for reproduction : Based on available data, the classification criteria are not met. **12. ECOLOGICAL INFORMATION** Toxicity 1 Based on available data, the classification criteria are not met. Persistence and Based on available data, the classification criteria are not met. degradability **Bioaccumulative potential** Based on available data, the classification criteria are not met. 1 Mobility in soil Based on available data, the classification criteria are not met. ÷ PBT and vPvB assessment Based on available data, the classification criteria are not met. : Other adverse effects This preparation is Not Classified as Environmentally : Hazardous according to Directive 1999/45/EC, as amended. 13. DISPOSAL CONSIDERATIONS Waste treatment methods Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging. Do not re-use empty containers. **14. TRANSPORT INFORMATION** Land transport ADR: UN number 1950 Transport hazard class(es) 2 ADR/RID-Labels 2.1 UN proper shipping name UN 1950 AEROSOLS, Flammable, 2.1 Derogation Limited quantities derogation may be applicable to this product, please check transport documents. Sea transport IMDG: UN number 1950 Transport hazard class(es) 2 ADR/RID-Labels 2 UN proper shipping name UN 1950 AEROSOLS, Flammable, 2.1 F-D, S-U EmS Environmental hazards

Cohnson
A FAMILY COMPANY
Print Date 22.02.201 Specification Number: 35000000949 SITE FORM Numbe 30000000000000008450.00
ay be applicable to this product, its.
ble, 2.1 ay be applicable to this product, hts.
d labelled in accordance with
nd margin.
is correct to the best of our publication. The information ing, use, processing, storage, e considered a warranty or the specific material used in combination with any n the text.