

SAFETY DATA SHEET

Creation Date 22-September-2009 Revision Date 29-January-2018 Revision Number 3

1. Identification

Product Name Salicylaldehyde

Cat No. : A281-500

CAS-No 90-02-8

Synonyms 2-Hydroxybenzaldehyde

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids
Category 4
Acute oral toxicity
Category 3
Acute dermal toxicity
Category 3
Skin Corrosion/irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Combustible liquid
Harmful if swallowed
Toxic in contact with skin
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If exposed or concerned: Call a POISON CENTER/ doctor

Call a POISON CENTER/ doctor if you feel unwell

Rinse mouth

Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Light sensitive

3. Composition/Information on Ingredients

Component	CAS-No	Weight %		
Salicylaldehyde	90-02-8	>98.5		
Phenol	108-95-2	< 1		

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically

Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed Suitable Extinguishing Media

containers exposed to fire with water spray.

Unsuitable Extinguishing Media No information available

Flash Point 76 °C / 168.8 °F

Method -No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	1	N/A

Accidental release measures

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of **Personal Precautions**

ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Up

7. Handling and storage

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in Handling eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames,

hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition. Keep under nitrogen.

8. Exposure controls / personal protection

Exposure Guidelines

Component Alberta Britis		British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Columbia								
	Phenol TWA: 5 ppm TWA: 5 ppm		TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	(Vacated) TWA:	IDLH: 250 ppm	
		TWA: 19 mg/m ³	Skin	Skin	TWA: 19 mg/m ³	Skin	5 ppm	TWA: 5 ppm
		Skin			Skin		(Vacated) TWA:	TWA: 19 mg/m ³

			19 mg/m ³	Ceiling: 15.6
			Skin	ppm
			TWA: 5 ppm	Ceiling: 60
			TWA: 19 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

Physical StateLiquidAppearanceYellowOdorbitter almond

Odor Threshold
pHNo information available
No information availableMelting Point/Range-7 °C / 19.4 °FBoiling Point/Range197 °C / 386.6 °F

 Boiling Point/Range
 197 °C / 386.6 °

 Flash Point
 76 °C / 168.8 °F

Salicylaldehyde

Not applicable

Evaporation RateNo information available

Flammability (solid,gas)

Flammability or explosive limits

Upper
LowerNo data available
No data availableVapor Pressure1 mmHg @ 33 °CVapor DensityNo information available

Specific Gravity 1.160

Solubilityslightly solublePartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information av

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaC7 H6 O2Molecular Weight122.12

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Sensitivity to light. Air sensitive.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to air.

Incompatible Materials Strong oxidizing agents, Strong reducing agents, Metals, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Salicylaldehyde	LD50 = 520 mg/kg (Rat)	LD50 = 600 mg/kg (Rat)	Not listed
Phenol	LD50 = 340 mg/kg (Rat) LD50 = 317 mg/kg (Rat)	LD50 = 630 mg/kg(Rabbit)	LC50 = 316 mg/m ³ (Rat) 4 h

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component CAS-No IARC		IARC	IARC NTP ACGIH		OSHA	Mexico	
	Salicylaldehyde	90-02-8	Not listed	Not listed	Not listed	Not listed	Not listed	
1	Phenol	108-95-2	Not listed	Not listed	Not listed	Not listed	Not listed	

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component Freshwater Algae		Freshwater Fish	Microtox	Water Flea	
	Salicylaldehyde	Not listed	Pimephales promelas: LC50:	Not listed	EC50: 4.1 mg/L/48h
			2.3 mg/L/96h		
	Phenol	EC50: 187 - 279 mg/L, 72h	4-7 mg/L LC50 96 h	EC50 21 - 36 mg/L 30 min	EC50: 10.2 - 15.5 mg/L, 48h
		static (Desmodesmus	32 mg/L LC50 96 h	EC50 = 23.28 mg/L 5 min	
		subspicatus)		EC50 = 25.61 mg/L 15 min	EC50: 4.24 - 10.7 mg/L, 48h
		EC50: 0.0188 - 0.1044		EC50 = 28.8 mg/L 5 min	Static (Daphnia magna)
		mg/L, 96h static		EC50 = 31.6 mg/L 15 min	
		(Pseudokirchneriella			
		subcapitata)			
		EC50: = 46.42 mg/L, 96h			
		(Pseudokirchneriella			
		subcapitata)			

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Salicylaldehyde	1.81
Phenol	1.5

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

L	Component	RCRA - U Series Wastes	RCRA - P Series Wastes
	Phenol - 108-95-2	U188	-

14. Transport information

DOT

UN-No UN2810

Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.

Proper technical name (SALICYLALDEHYDE)

Hazard Class 6.1
Packing Group

Salicylaldehyde

TDG

UN-No UN2810

Proper Shipping Name TOXIC LIQUIDS, ORGANIC, N.O.S.

Hazard Class 6.
Packing Group

IATA

UN-No UN2810

Proper Shipping Name TOXIC LIQUIDS, ORGANIC, N.O.S.

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN2810

Proper Shipping Name TOXIC LIQUIDS, ORGANIC, N.O.S.

Hazard Class 6.1 Packing Group III

15. Regulatory information

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Salicylaldehyde	Χ	-	Χ	201-961-0	-		Х	X	Χ	Х	X
Phenol	Х	-	Χ	203-632-7	-		Х	Х	Х	Х	X

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Phenol	Part 1, Group A Substance		

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date22-September-2009Revision Date29-January-2018Print Date29-January-2018

Revision Summary This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS