

## SAFETY DATA SHEET

Creation Date 15-October-2009

Revision Date 19-January-2018

Revision Number 6

### 1. Identification

**Product Name** Tin(II) chloride

**Cat No. :** AC196980000; AC196980025; AC196980250; AC196981000;  
AC196985000

**CAS-No** 7772-99-8  
**Synonyms** Stannous chloride

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Not for food, drug, pesticide or biocidal product use

#### Details of the supplier of the safety data sheet

##### Company

**Importer/Distributor**  
Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

**Manufacturer**  
Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|   |              |
|---|--------------|
| <b>Corrosive to metals</b>                                  | Category 1   |
| <b>Acute oral toxicity</b>                                  | Category 4   |
| <b>Acute Inhalation Toxicity</b>                            | Category 4   |
| <b>Skin Corrosion/Irritation</b>                            | Category 1 B |
| <b>Serious Eye Damage/Eye Irritation</b>                    | Category 1   |
| <b>Skin Sensitization</b>                                   | Category 1   |
| <b>Specific target organ toxicity (single exposure)</b>     | Category 3   |
| Target Organs - Respiratory system.                         |              |
| <b>Specific target organ toxicity - (repeated exposure)</b> | Category 2   |
| Target Organs - Blood, Central Vascular System (CVS).       |              |

#### Label Elements

**Signal Word**  
Danger

**Hazard Statements**

May be corrosive to metals  
 Harmful if swallowed or if inhaled  
 Causes severe skin burns and eye damage  
 May cause an allergic skin reaction  
 May cause respiratory irritation  
 May cause damage to organs through prolonged or repeated exposure



### Precautionary Statements

#### Prevention

Keep only in original container  
 Do not breathe dust/fumes/gas/mist/vapours/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Contaminated work clothing should not be allowed out of the workplace  
 Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER/doctor  
 Rinse mouth  
 Do NOT induce vomiting  
 Wash contaminated clothing before reuse  
 Absorb spillage to prevent material damage

#### Storage

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed  
 Store in corrosive resistant polypropylene container with a resistant inliner  
 Store in a dry place

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

## 3. Composition/Information on Ingredients

| Component         | CAS-No    | Weight % |
|-------------------|-----------|----------|
| Stannous chloride | 7772-99-8 | >95      |

## 4. First-aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.

#### Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

|  |  |
|--|--|
| <b>Inhalation</b>                      | Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.   |
| <b>Ingestion</b>                       | Immediate medical attention is required. Do not induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.   |
| <b>Most important symptoms/effects</b> | Causes burns by all exposure routes. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>              | Treat symptomatically  |

## 5. Fire-fighting measures

**Suitable Extinguishing Media** CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available  
**Method -** No information available

**Autoignition Temperature**

**Explosion Limits**

**Upper** No data available  
**Lower** No data available  
**Sensitivity to Mechanical Impact** No information available  
**Sensitivity to Static Discharge** No information available

**Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

**Hazardous Combustion Products**

Hydrogen chloride gas

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA**

**Health**  
3

**Flammability**  
0

**Instability**  
1

**Physical hazards**  
N/A

## 6. Accidental release measures

**Personal Precautions** Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with skin, eyes and clothing.

**Environmental Precautions** Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up** Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

## 7. Handling and storage

**Handling** Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest.

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers. Corrosives area. Store under an inert atmosphere.

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component         | Alberta                  | British Columbia         | Ontario TWAEV            | Quebec                   | ACGIH TLV                | OSHA PEL                           | NIOSH IDLH  |
|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------------------|---|
| Stannous chloride | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup> | (Vacated) TWA: 2 mg/m <sup>3</sup> | IDLH: 100 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup> |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Natural rubber | See manufacturers | -               | Splash protection only |
| Nitrile rubber | recommendations   |                 |                        |
| Neoprene       |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|                       |        |
|-----------------------|--------|
| <b>Physical State</b> | Solid  |
| <b>Appearance</b>     | White  |
| <b>Odor</b>           | Slight |

|  |                               |
|--|-------------------------------|
| Odor Threshold                         | No information available      |
| pH                                     | 2 10% in water                |
| Melting Point/Range                    | 246 °C / 474.8 °F             |
| Boiling Point/Range                    | 652 °C / 1205.6 °F @ 760 mmHg |
| Flash Point                            | No information available      |
| Evaporation Rate                       | Not applicable                |
| Flammability (solid,gas)               | No information available      |
| Flammability or explosive limits       |                               |
| Upper                                  | No data available             |
| Lower                                  | No data available             |
| Vapor Pressure                         | negligible                    |
| Vapor Density                          | Not applicable                |
| Specific Gravity                       | 3.950                         |
| Solubility                             | Soluble in water              |
| Partition coefficient; n-octanol/water | No data available             |
| Autoignition Temperature               |                               |
| Decomposition Temperature              | No information available      |
| Viscosity                              | Not applicable                |
| Molecular Formula                      | Cl <sub>2</sub> Sn            |
| Molecular Weight                       | 189.6                         |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactive Hazard</b>                  | None known, based on information available   |
| <b>Stability</b>                        | Hygroscopic. Air sensitive. Strong reducing agent. Fire and explosion risk in contact with oxidizing agents. |
| <b>Conditions to Avoid</b>              | Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water. Exposure to air.   |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Peroxides, Alkali metals,   |
| <b>Hazardous Decomposition Products</b> | Hydrogen chloride gas  |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.   |
| <b>Hazardous Reactions</b>              | None under normal processing.  |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

#### Component Information

| Component         | LD50 Oral         | LD50 Dermal | LC50 Inhalation |
|-------------------|-------------------|-------------|-----------------|
| Stannous chloride | 700 mg/kg ( Rat ) | Not listed  | Not listed      |

**Toxicologically Synergistic Products** No information available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                        |  |
|------------------------|--|
| <b>Irritation</b>      | Causes severe burns by all exposure routes   |
| <b>Sensitization</b>   | May cause sensitization by skin contact  |
| <b>Carcinogenicity</b> | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component         | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------|-----------|------------|------------|------------|------------|------------|
| Stannous chloride | 7772-99-8 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

|   |   |
|---|---|
| <b>Reproductive Effects</b>                       | No information available.   |
| <b>Developmental Effects</b>                      | No information available.   |
| <b>Teratogenicity</b>                             | No information available.   |
| <b>STOT - single exposure</b>                     | Respiratory system  |
| <b>STOT - repeated exposure</b>                   | Blood Central Vascular System (CVS)   |
| <b>Aspiration hazard</b>                          | No information available  |
| <b>Symptoms / effects, both acute and delayed</b> | Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Endocrine Disruptor Information</b>            | No information available  |
| <b>Other Adverse Effects</b>                      | The toxicological properties have not been fully investigated.  |

## 12. Ecological information

### Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component         | Freshwater Algae | Freshwater Fish | Microtox   | Water Flea           |
|-------------------|------------------|-----------------|------------|----------------------|
| Stannous chloride | Not listed       | Not listed      | Not listed | EC50 = 19.5 mg/L/48h |

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

|                              |  |
|------------------------------|--|
| <b>UN-No</b>                 | UN3260                                     |
| <b>Proper Shipping Name</b>  | CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. |
| <b>Proper technical name</b> | Stannous chloride                          |
| <b>Hazard Class</b>          | 8  |
| <b>Packing Group</b>         | III  |

### TDG

|                             |  |
|-----------------------------|--|
| <b>UN-No</b>                | UN3260                                     |
| <b>Proper Shipping Name</b> | CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. |
| <b>Hazard Class</b>         | 8  |
| <b>Packing Group</b>        | III  |

### IATA

|                             |  |
|-----------------------------|--|
| <b>UN-No</b>                | UN3260                                     |
| <b>Proper Shipping Name</b> | CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. |
| <b>Hazard Class</b>         | 8  |
| <b>Packing Group</b>        | III  |

### IMDG/IMO

|                             |  |
|-----------------------------|--|
| <b>UN-No</b>                | UN3260                                     |
| <b>Proper Shipping Name</b> | CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. |

Hazard Class 8  
Packing Group III

## 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### International Inventories

| Component         | DSL | NDSL | TSCA | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-------------------|-----|------|------|-----------|--------|-----|-------|------|------|-------|------|
| Stannous chloride | X   | -    | X    | 231-868-0 | -      |     | X     | X    | X    | X     | X    |

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

## 16. Other information

**Prepared By** Regulatory Affairs  
Thermo Fisher Scientific  
Email: EMSDS.RA@thermofisher.com

**Creation Date** 15-October-2009

**Revision Date** 19-January-2018

**Print Date** 19-January-2018

**Revision Summary** This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**