

# SAFETY DATA SHEET

Creation Date 22-Apr-2009

Revision Date 24-Dec-2021

**Revision Number** 7

 1. Identification

 Product Name
 Acetaldehyde

 Cat No. :
 AC149510000, AC149510010, AC149510025, AC149510100, AC149512500

 CAS No
 75-07-0

 Synonyms
 Ethanal

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

 Details of the supplier of the safety data sheet

### <u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 1
Acute oral toxicity	Category 4
Serious Eye Damage/Eye Irritation	Category 2
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system (	CNS).

### Label Elements

Signal Word Danger Hazard Statements

Extremely flammable liquid and vapor Harmful if swallowed Causes serious eye irritation May cause respiratory irritation Suspected of causing genetic defects May cause cancer



# **Precautionary Statements**

Prevention Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

## Keep cool

Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Indestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

## Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Hazardous polymerization may occur

Lachrymator (substance which increases the flow of tears)

## May form explosive peroxides

WARNING. Cancer - https://www.p65warnings.ca.gov/.

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Acetaldehyde	75-07-0	<=100	
	4. First-aid measures		
General Advice If symptoms persist, call a physician.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation call a physician.		east 15 minutes. If skin irritation persists,	
Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention symptoms occur.		I respiration. Get medical attention if	
Ingestion	Clean mouth with water and drink afterwards plen	ity of water.	
Most important symptoms and effects Notes to Physician	None reasonably foreseeable. Inhalation of high symptoms like headache, dizziness, tiredness, na Treat symptomatically		

5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}}$ dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	-27 °C / -16.6 °F
Method -	No information available
Autoignition Temperature	155 °C / 311 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	60.0% 4.0% t No information available No information available

### Specific Hazards Arising from the Chemical

Extremely flammable. May form explosive peroxides. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA			
Health	Flammability	Instability	Physical hazards
2	4	2	N/A

### 6. Accidental release measures Use personal protective equipment as required. Ensure adequate ventilation. Remove all **Personal Precautions** sources of ignition. Take precautionary measures against static discharges. **Environmental Precautions** Do not flush into surface water or sanitary sewer system. Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Up 7. Handling and storage Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on Handling clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Storage. Keep away from heat, sparks and flame. Refrigerator/flammables. Store under an inert atmosphere. Do not freeze. Incompatible Materials. Strong oxidizing agents. Acids. Bases. Metals. Strong reducing agents. Alcohols. Amines. Halogens.

## 8. Exposure controls / personal protection

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acetaldehyde	Ceiling: 25 ppm	(Vacated) TWA: 100 ppm	IDLH: 2000 ppm	Ceiling: 25 ppm
-		(Vacated) TWA: 180 mg/m <sup>3</sup>		
		(Vacated) STEL: 150 ppm		
		(Vacated) STEL: 270 mg/m <sup>3</sup>		
		TWA: 200 ppm		
		TWA: 360 mg/m <sup>3</sup>		

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physica	I and chemical properties
Physical State	Liquid
Appearance	Clear
Odor	pungent
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-123 °C / -189.4 °F
Boiling Point/Range	21 °C / 69.8 °F
Flash Point	-27 °C / -16.6 °F
Evaporation Rate	49.1
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	60.0%
Lower	4.0%
Vapor Pressure	986 mbar @ 20°C
Vapor Density	1.52
Specific Gravity	0.785
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	155 °C / 311 °F
Decomposition Temperature	No information available
Viscosity	0.25 mPas @ 15°C
Molecular Formula	C2 H4 O
Molecular Weight	44.04
-	

# 10. Stability and reactivity

Reactive Hazard	Yes	
Stability	Stable under recommended storage conditions. Polymerization can occur. May form explosive peroxides.	
Conditions to Avoid	Excess heat. Exposure to air. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents, Acids, Bases, Metals, Strong reducing agents, Alcohols, Amines, Halogens	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization Hazardous polymerization may occur.		
Hazardous Reactions	Reacts with air to form peroxides.	

11. Toxicological information

Acute Toxicity

# Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetaldehyde	LD50 = 660 mg/kg (Rat)	LD50 = 3540 mg/kg (Rabbit)	LC50 = 13000 ppm (Rat) 4 h
oxicologically Synergistic Products Delayed and immediate effects	No information available as well as chronic effects fror	n short and long-term exposure	e_
rritation	Irritating to eyes and respi	ratory system	

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Acetaldehyde	75-07-0	Group 1	Reasonably	A2	Х	A3
		Group 2B	Anticipated			
IARC (International	I Agency for Rese	arch on Gancer)		national Agency for F Carcinogenic to Huma		
				Probably Carcinoger		
				Possibly Carcinogen		
NTP: (National Tox	icity Program)		NTP: (Natio	nal Toxicity Program		
				own Carcinogen		
				Anticipated - Reaso	nably Anticipated to	be a Human
ACGIH: (American	overnmental Industr	Carcinogen	Human Carcinogen			
Hygienists)	oomerence of u			cted Human Carcino	nen	
n) gromoto)				Carcinogen	<b>, , , , , , , , , ,</b>	
				merican Conference		
Mexico - Occupatio	onal Exposure Lin	nits - Carcinogens		ccupational Exposure		S
				ned Human Carcinog		
				cted Human Carcinog ned Animal Carcinog		
				assifiable as a Huma		
				spected as a Human		
Mutagenic Effects		Mutagenic effects have occurred in experimental animals.				
Reproductive Effects	6	No information ava	ailable.			
Developmental Effect	ts	No information available.				
Teratogenicity		No information available.				
relatogementy		No information ave				
STOT - single expos	ure	Respiratory system Central nervous system (CNS)				
STOT - repeated exp		None known				
Aspiration hazard		No information ava	ailable			
Symptoma / offecto	hoth couto and	Inholation of high	vanar aanaantratia		ntoma lika haadaa	ho dizzinogo
Symptoms / effects, delayed	both acute and	tiredness, nausea		ns may cause sym	pions like headad	me, dizziness,
-			C C			
Endocrine Disruptor	Information	No information ava	ailable			
Other Adverse Effect	ts	The toxicological p	properties have not	t been fully investig	jated.	
			-			

## 12. Ecological information

**Ecotoxicity** The product contains following substances which are hazardous for the environment. Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetaldehyde	Not listed		EC50 = 280.6 mg/L 15 min EC50 = 280.6 mg/L 25 min EC50 = 280.6 mg/L 5 min	EC50: 3.64 - 6.15 mg/L, 48h Static (Daphnia magna) EC50: = 48.3 mg/L, 48h (Daphnia magna)

Persistence and Degradability

Persistence is unlikely based on information available.

### **Bioaccumulation/Accumulation**

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Acetaldehyde	0.5

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acetaldehyde - 75-07-0	U001	-

	14. Transport information
DOT	
UN-No	UN1089
Proper Shipping Name	ACETALDEHYDE
Hazard Class	3
Packing Group	
<u>TDG</u>	
UN-No	UN1089
Proper Shipping Name	ACETALDEHYDE
Hazard Class	3
Packing Group	
IATA_	
UN-No	UN1089
Proper Shipping Name	Acetaldehyde
Hazard Class	3
Packing Group	
IMDG/IMO	
UN-No	UN1089
Proper Shipping Name	Acetaldehyde
Hazard Class	3
Packing Group	
	15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Acetaldehyde	75-07-0	Х	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

### TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Acetaldehyde	75-07-0	Section 5

### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

1	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
	Acetaldehyde	75-07-0	Х	-	200-836-8	Х	Х	Х	Х	Х	KE-00003

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Acetaldehyde	75-07-0	<=100	0.1

SARA 311/312 Hazard Categories See section 2 for more information

#### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetaldehyde	X	1000 lb	-	-

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetaldehyde	Х		-

## **OSHA** - Occupational Safety and

Health Administration

Compo	onent	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Acetald	ehyde	-	TQ: 2500 lb
CERCLA	substance	This material, as supplied, contains one or more substances regulated as a hazardou substance under the Comprehensive Environmental Response Compensation and Li Act (CERCLA) (40 CFR 302)	

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetaldehyde	1000 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Acetaldehyde	75-07-0	Carcinogen	90 µg/day	Carcinogen

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetaldehyde	Х	Х	Х	Х	Х

### U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	N

# U.S. Department of Homeland Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Acetaldehyde	Release STQs - 10000lb

### Other International Regulations

Mexico - Grade

Severe risk, Grade 4

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetaldehyde	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetaldehyde	75-07-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetaldehyde	75-07-0	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs
	Acros Organics BVBA
	Tel: 800-ACROS-01
Creation Date	22-Apr-2009
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**