

SAFETY DATA SHEET

Issuing Date January 5, 2015

Revision Date New

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Product Name

Aplicare® Alcohol Swabsticks

Other means of identification

Product Code(s)

S-1105, S-1105-1S, S-3105, S-3105-5S

Recommended use of the chemical and restrictions on use

Recommended Use

Topical skin antiseptic

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

Aplicare Inc.

Supplier Address

550 Research Parkway

Meriden, CT 06450

Supplier Phone Number

Phone: 203-630-0500

Emergency telephone number

Emergency Phone Numbers

For Medical Emergencies call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A		
Specific target organ toxicity (single exposure)	Category 3		
Flammable liquids	Category 2		

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard Statements

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



Appearance Clear, colorless liquid absorbed into white, rayon swabs on polystyrene sticks Physical State Thin liquid absorbed into rayon swabs

Odor Alcohol

Precautionary Statements - Prevention

Wash hands and face thoroughly after handling

Wear protective gloves/eye protection

Avoid breathing mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Precautionary Statements - Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If inhaled: Renocve victim to firesh air and keep at rest in a position comfortable for bleathing.

Call a poison center or doctor if you feel unwell

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal in accordance with all applicable federal, state, and local regulations. Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

None of the mixture consists of ingredient(s) of unknown toxicity

Other information

Prolonged or repeated contact may dry skin and cause irritation.

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
sopropyl alcohol	67-63-0	60 - 80	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention

if irritation develops and persists.

Skin Contact Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. In the case of skin irritation, call a doctor.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, (trained personnel should) give oxygen. If symptoms persist, call a doctor.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Remove

all sources of ignition. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Effects of exposure (inhalation, ingestion or skin contact) to substance may be

delayed.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Alcohol resistant foam.

Unsuitable extinguishing media

CAUTION: This product has a very low flash point. Use of water spray when fighting fire may be inefficient. Do not use straight streams.

Specific Hazards Arising from the Chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Explosion Data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible Products

Strong oxidizing agents. Acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m ³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

None required for consumer use. If splashes are likely to occur:. Tight sealing safety

goggles.

Skin and Body Protection

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State

Thin liquid absorbed into pads

Appearance

Color

Clear, thin liquid absorbed into rayon

swabs on polystyrene sticks

Colorless liquid - white swabs and

sticks

Odor

Alcohol

Odor Threshold

None known

Remarks/ Method

No information available

Property Hq

Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate**

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit Lower flammability limit Vapor pressure Vapor density

Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature **Decomposition temperature**

Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing Properties** No data available

~0.88 (liquid)

Other Information Softening Point

VOC Content (%) Particle Size Particle Size Distribution

Values No data available No data available No data available 18° C (liquid) No data available No data available

No data available No data available No data available No data available

Soluble in water No data available No data available No data available No data available

No data available No data available

No data available No data available

No data available No data available

10. STABILITY AND REACTIVIT

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

May cause irritation of respiratory tract.

Eye Contact

May cause redness, itching, and pain.

Skin Contact

Prolonged contact may cause redness and irritation.

Ingestion

Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	4.4 g/kg (Rat)	12.8 g/kg (Rabbit)	16000 ppm (Rat, 8 h)

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		Х

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

Contains a known or suspected carcinogen.

Target Organ Effects

Eyes. Respiratory system. Skin. Blood. Kidney. Liver. Spleen. Systemic Toxicity.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
6.3 g/kg
ATEmix (dermai)
18 g/kg (ATE)
ATEmix (inhalation-vapor)
79 ATEmix

12.ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Chemical Name Toxicity to Algae		Toxicity to Microorganisms	Daphnia Magna (Water Flea)	
Isopropyl alcohol 67-63-0	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	(Pimephales promelas) 96h		48h EC50: = 13299 mg/L	

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Isopropyl alcohol 67-63-0	0.05

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Dispose of in accordance with all applicable federal, state, and local regulations.

4. TRANSPORT INFORMATION

DOT Limited quantity.

TDG

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3 Packing Group II

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, II

ICAO

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3

Packing Group

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, II

ATA

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3 Packing Group II

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, II

IMDG/IMO

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

 Hazard Class
 3

 Packing Group
 II

 EmS No.
 F-E, S-E

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, II, (23°C C.C.)

Classification code F1

Special Provisions 274, 601, 640D

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, II

Limited Quantity 1 L Ventilation VE01

15. REGULATORY INFORMATION

Chemical Inventories

TSCA DSL

Complies

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical that is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	30 - 60	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
isopropyl alcohol 67-63-0	Х	х	X	X	

International Regulations

Canada

WHMIS Hazard Class

B2 - Flammable liquid D2B - Toxic materials





16. OTHER INFORMATION

NFPA

Health Hazards 2

Flammability 3

Instability 0

Physical and

Chemical Hazards -

HMIS

Health Hazards 2

Flammability 3

Physical Hazard 0

Personal Protection

Α

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date

New

Revision Note

New

Reference

INT0009/D005

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet