

SAFETY DATA SHEET Zinsser Bulls Eye® 1-2-3

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME

Zinsser Bulls Eye® 1-2-3

PRODUCT NO.

ZN7040001

APPLICATION

Single-component water-borne coating for application by brush and roller:

SUPPLIER

Portobello Industrial Estate

Birtlev

County Durham England DH3 2RE

+44(0)191 4106611 +44(0)191 4920125 enquiries@tor-coatings.com

CONTACT PERSON

ian.mccormack@tor-coatings.com

2 HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION (1999/45)

R52/53.

ENVIRONMENT

The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See section 12.

HUMAN HEALTH

Prolonged contact may cause redness, irritation and dry skin. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)	
ETHANEDIOL	203-473-3	107-21-1	1.0-2.5%	Xn;R22	
ZINC OXIDE	215-222-5	1314-13-2	1.0-2.5%	N;R50/53	
2-(2-BUTOXYETHOXY)ETHANOL	203-961-6	112-34-5	< 1%	Xi;R36	
AMMONIA%	215-647-6	1336-21-6	< 1%	C;R34 N;R50	
SODIUM NITRITE	231-555-9	7632-00-0	< 1%	O;R8 T;R25 N;R50	

The Full Text for all R-Phrases is Displayed in Section 16

4 FIRST-AID MEASURES

GENERAL INFORMATION

General first aid, rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious, Get medical attention if any discomfort continues,

INHALATION

Place unconscious person on the side in the recovery position and ensure breathing can take place. If respiratory problems, artificial respiration/oxygen, Get medical attention if any discomfort continues,

NGESTION

Immediately rinse mouth and drink plenty of water or milk. Keep person under observation, Do not induce vomiting, If vomiting occurs, keep head low, Transport immediately to hospital and bring along these instructions.

SKIN CONTACT

Use appropriate hand lotion to prevent defatting and cracking of skin. Immediately remove contaminated clothing. Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

Report Date: 02/09/2011 REVISION DATE 23/06/2011

Zinsser Bulls Eye® 1-2-3

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

Use pressurised air mask if product is involved in a fire, Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources, Dike for water control.

UNUSUAL FIRE & EXPLOSION HAZARDS

Fire causes formation of toxic gases.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage,

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours, Use approved respirator if air contamination is above accepted level.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place, Keep in original container. Avoid contact with oxidising agents.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-(2-BUTOXYETHOXY)ETHANOL		10 ppm	67.5 mg/m3	15 ppm	101.2 mg/m3	
AMMONIA%	WEL	25 ppm	18 mg/m3	35 ppm	25 mg/m3	
ETHANEDIOL	WEL		10 mg/m3(Sk)		104 mg/m3(Sk)	

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT





PROCESS CONDITIONS

Provide eyewash station,

ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. All handling to take place in well-ventilated area.

RESPIRATORY EQUIPMENT

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

HAND PROTECTION

Protective gloves should be used if there is a risk of direct contact or splash.

EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

Report Date: 02/09/2011 REVISION DATE 23/06/2011

Zinsser Bulls Eye® 1-2-3

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke,

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Liquid

COLOUR

White / off-white.

ODOUR

Slight odour.

SOLUBILITY

Miscible with water

RELATIVE DENSITY

1,28 Approx. @20°C.

VAPOUR DENSITY (air=1)

VOLATILE ORGANIC COMPOUND (VOC) Cat A/g : <30 g/l (EU Limit 30 g/l)

10 STABILITY AND REACTIVITY

STABILITY

No particular stability concerns.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11 TOXICOLOGICAL INFORMATION

SKIN CONTACT

Prolonged contact may cause redness and irritation.

EYE CONTACT

Slightly irritating.

Name

AMMONIA ...%

Toxic Dose 1 - LD 50

350 mg/kg (oral rat)

Name

SODIUM NITRITE

Toxic Dose 1 - LD 50

85 mg/kg (oral rat)

Name Toxic Dose 1 - LD 50 **ETHANEDIOL** 4700 mg/kg (oral rat)

2-(2-BUTOXYETHOXY)ETHANOL

Toxic Dose 1 - LD 50

4500 - 5660 mg/kg (oral ral)

Toxic Dose 2 - LD 50

2400 - 6050 mg/kg (oral-mouse)

Name

ZINC OXIDE

Toxic Dose 1 - LD 50

>15000 mg/kg (oral rat)

Toxic Dose 2 - LD 50

7950 mg/kg (oral-mouse)

Toxic Conc. - LC 50

>5.7 mg/l/4h (inh-rat)

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

Report Date: 02/09/2011 REVISION DATE: 23/06/2011

Zinsser Bulls Eye® 1-2-3

Name

SODIUM NITRITE

Ecotoxicity

The product contains a substance which may have adverse effects on waste water treatment processes. The product has a moderate to high potential to affect

aquatic organisms.

LC 50, 96 Hrs, Fish mg/l

Name

ETHANEDIOL

LC 50, 96 Hrs, Fish mg/l

>100

100

Name

2-(2-BUTOXYETHOXY)ETHANOL

Ecotoxicity

The product contains a substance which causes risk of hazardous effects to the environment.

LC 50, 96 Hrs, Fish mg/l

1300

Mobility

The product is soluble in water.

Bioaccumulative potential

This material is not expected to significantly bioaccumulate.

Degradability

The product is moderately biodegradable.

Name

ZINC OXIDE

IC 50, 72 Hrs, Algae, mg/l

, 170

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste, Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

ENVIRONMENTALLY HAZARDOUS

SUBSTANCE/MARINE POLLUTANT

15 REGULATORY INFORMATION

RISK PHRASES

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment,

SAFETY PHRASES

S2

Keep out of the reach of children.

S56

Dispose of this material and its container to hazardous or special waste collection point,

EU DIRECTIVES

System of specific information relating to Dangerous Preparations, 2001/58/EC, Dangerous Preparations Directive 1999/45/EC,

APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689, Workplace Exposure Limits 2005 (EH40)

16 OTHER INFORMATION

INFORMATION SOURCES

Croner's Emergency Spillage Guide Croner's Emergency First Aid Guide Croner's Substances Hazardous to Health

REVISION COMMENTS

Amended in line with HSE requirements.

ISSUED BY

D Charles

REVISION DATE

23/06/2011

REV. NO./REPL, SDS GENERATED

7

SDS NO.

17656

Report Date: 02/09/2011 REVISION DATE 23/06/2011

Zinsser Bulls Eye® 1-2-3

SAFETY DATA SHEET STATUS

Approved.

DATE 07/07/2011

RISK PHRASES IN FULL

R34 Causes burns.

R8 Contact with combustible material may cause fire.

R22 Harmful if swallowed, R36 Irritating to eyes.

R37 Irritating to respiratory system.

R25 Toxic if swallowed.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R50 Very toxic to aquatic organisms.