

# SAFETY DATA SHEET

8/8/2016

## SECTION I - IDENTIFICATION

**Material Name**

GRUMBACHER PRE-TEST OIL COLORS

**Company Information**

Chartpak Inc.  
1 River Road  
Leeds, MA 01053  
Phone: 1-800-628-1910  
Fax: 1-413-587-0499  
Email: lab@chartpak.com

For transportation emergencies only call: 1-888-786-0972

For health emergencies call the Poison Control Center: 1-800-222-1222

## SECTION II - HAZARDS IDENTIFICATION

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Hazardous to the Aquatic Environment - Acute - Category 1

Hazardous to the Aquatic Environment - Chronic - Category 1

Acute Toxicity Oral - Category 4

Skin Sensitization - Category 1

**GHS Label Elements****Symbol(s)****Signal Word(s)**

Danger

**Hazard Statement(s)**

Harmful if swallowed May cause an allergic skin reaction Very toxic to aquatic life Very toxic to aquatic life with long lasting effects

**Precautionary Statement(s)****Prevention**

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse. Collect spillage. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.



## SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
 STABILITY: STABLE CONDITIONS TO AVOID: N/A  
 INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
 HAZARDOUS DECOMPOSITION PRODUCTS: N/A

## SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED  
 The summated LD50 is 1009.7 mg/kg.  
 The summated LC50 is 26355 mg/cubic meter.  
 This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## SECTION XII - ECOLOGICAL INFORMATION

**Aquatic Hazard Statement(s)**  
 Very toxic to aquatic life  
 Very toxic to aquatic life with long lasting effects

## SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
 WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200  
 EPA SARA TITLE III CHEMICAL LISTINGS  
 NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
 NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
 NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
 AMORPHOUS SILICA  
 COPPER PHTHALOCYANINE  
 FERRIC OXIDE  
 ISOPARAFFINIC HYDROCARBON  
 LINSEED OIL  
 OLEIC ACID  
 PHOSPHORIC ACID, COBALT(2+) SALT (2:3)  
 TURPENTINE  
 ZINC OXIDE

## SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:

AMORPHOUS SILICA  
 PIGMENT RED 101  
 PIGMENT VIOLET 16  
 PIGMENT WHITE 6  
 TURPENTINE  
 ZINC OXIDE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
 NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST:

Amorphous silica  
 Iron oxide fume  
 Turpentine  
 Zinc oxide fume

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONCERN TO CHILDREN:  
 NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS HAZARDOUS SUBSTANCE LIST:

Amorphous silica  
 Barium sulfate  
 Carbon black  
 Iron oxide dust  
 Silica, precipitated  
 Titanium dioxide  
 Turpentine  
 Zinc oxide fume

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MICHIGAN'S CRITICAL MATERIALS REGISTER:  
 NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST:

Barium, sulfate  
 Carbon black  
 Iron oxide fume (Fe<sub>2</sub>O<sub>3</sub>) as Fe  
 Limestone  
 Methyl ethyl ketoxime  
 Silica (SiO<sub>2</sub>)  
 Titanium dioxide  
 Turpentine  
 Zinc oxide, fume and dust

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST:

9-Octadecenoic acid (z)-  
 Barium sulfate  
 Carbon black  
 Iron oxide  
 Linseed oil  
 Rutile  
 Silica  
 Titanium oxide  
 Zinc oxide

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling:

**WARNING: MAY BE HARMFUL IF SWALLOWED. INHALATION MAY CAUSE RESPIRATORY ALLERGIES. SKIN CONTACT MAY CAUSE ALLERGIC SKIN RASHES. EXPOSURE MAY CAUSE DAMAGE TO THE TESTES. INHALATION MAY CAUSE LUNG DAMAGE. EXPOSURE MAY CAUSE DAMAGE TO THE HEART.**

**Contains: COBALT**

**PRECAUTIONS:** Avoid prolonged contact with skin. Do not spray apply. Wash hands immediately after use. When using do not eat, drink or smoke. **KEEP OUT OF REACH OF CHILDREN.** If swallowed, get prompt medical attention. For further health information contact a poison control center or call . . . (must contain a US telephone # and US company name and address on the label).

This product contains a chemical known to the State of California to cause cancer.

## SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**LAST REVISION DATE: 03/02/2016**

**Prepared by Duke OEM Toxicology**

## COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

Product Color	SKU	Hazardous Ingredient
F200 SUPERBA WHITE		(NONE)
P001 ALIZARIN CRIMSON		(NONE)
P002 ALIZARIN CRIMSON GOLDEN		(NONE)
P003 AUREOLIN		(NONE)
P005 TRANSLUSCENT ORANGE		(NONE)
P013 BROWN PINK		(NONE)
P016 BURNT SIENNA DEEP		(NONE)
P020 CADMIUM GREEN LIGHT		(NONE)
P021 BROWN MADDER		(NONE)
P023 BURNT SIENNA		(NONE)
P024 BURNT UMBER		(NONE)
P025 CADMIUM ORANGE		(NONE)
P026 CADMIUM RED DEEP		(NONE)
P027 CADMIUM RED LIGHT		(NONE)
P029 CADMIUM RED MEDIUM		(NONE)
P030 CADMIUM VERMILLION		(NONE)
P031 CADMIUM YELLOW DEEP		(NONE)
P033 CADMIUM YELLOW LIGHT		(NONE)
P034 CADMIUM YELLOW MEDIUM		(NONE)
P035 CADMIUM ORANGE MEDIUM		(NONE)
P036 CADMIUM YELLOW PALE		(NONE)
P039 CERULEAN BLUE HUE		(NONE)
P040 CERULEAN BLUE GENUINE		(NONE)
P048 CHROME OXIDE GREEN (OPAQUE)		(NONE)
P049 COBALT BLUE		(NONE)
P051 COBALT ROSE		COBALT
P053 COBALT VIOLET HUE		(NONE)
P058 COBALT TITANATE GREEN		(NONE)
P059 COBALT TITANATE BLUE		(NONE)
P060 DIARYLIDE YELLOW		(NONE)
P061 DIOXAZINE PURPLE		(NONE)
P064 DAVY'S GRAY		(NONE)
P071 PALE PINK		(NONE)
P076 FRENCH ULTRAMARINE BLUE		(NONE)
P080 GOLD OCHRE HUE		(NONE)
P085 GREEN EARTH HUE		(NONE)
P086 GREEN GOLD HUE		(NONE)
P088 GREENISH UMBER		(NONE)
P093 PERMANENT BRIGHT GREEN		(NONE)
P095 GRUMBACHER RED		(NONE)
P102 PT HANSA YELLOW		(NONE)
P109 INDANTHRONE BLUE		(NONE)
P110 INDIAN RED		(NONE)
P112 INDIGO		(NONE)
P115 IVORY BLACK		(NONE)
P116 LAMP BLACK		(NONE)
P131 PT MANGANESE BLUE HUE		(NONE)
P134 MARS BLACK		(NONE)
P142 MONOAZO ORANGE		(NONE)
P146 NAPLES YELLOW HUE		(NONE)
P148 NICKEL TITANATE YELLOW		(NONE)
P150 OLIVE GREEN		(NONE)
P156 PAYNE'S GRAY		(NONE)
P160 PERMANENT BLUE		(NONE)
P162 PERMANENT GREEN LIGHT		(NONE)
P166 PRUSSIAN GREEN		(NONE)
P168 PRUSSIAN BLUE		(NONE)

<b>Product Color</b>	<b>SKU</b>	<b>Hazardous Ingredient</b>
P169 QUINACRIDONE ORANGE		(NONE)
P170 QUINACRIDONE RED		(NONE)
P171 RAW SIENNA		(NONE)
P172 RAW UMBER		(NONE)
P182 ROSE MADDER HUE		(NONE)
P187 SAP GREEN		(NONE)
P200 PT SUPERBA WHITE		(NONE)
P202 TERRA ROSE HUE		(NONE)
P203 THALO BLUE		(NONE)
P205 THALO GREEN		(NONE)
P208 THALO RED ROSE		(NONE)
P210 THALO YELLOW GREEN		(NONE)
P211 THIO VIOLET		(NONE)
P212 TITANIUM WHITE		(NONE)
P215 TRANSPARENT RED IRON OXIDE		(NONE)
P216 TRANSPARENT YELLOW OXIDE		(NONE)
P218 UNBLEACHED TITANIUM		(NONE)
P221 ULTRAMARINE VIOLET		(NONE)
P222 VAN DYCK BROWN		(NONE)
P223 VENETIAN RED		(NONE)
P230 VINE BLACK		(NONE)
P244 YELLOW OCHRE		(NONE)
P248 ZINC WHITE		(NONE)
P249 ZINC YELLOW HUE		(NONE)
P250 TITANIUM WHITE (SOFT)		(NONE)
P306 THALO GREEN (YELLOW)		(NONE)
P307 ULTRAMARINE BLUE DEEP		(NONE)
P309 COBALT TURQUOISE		(NONE)
P310 PT COBALT BLUE DEEP		(NONE)
P311 PT BISMUTH YELLOW		(NONE)
P312 PT PYRROLE RED		(NONE)
P313 PT ARCTIC BLUE		(NONE)
P314 PT TERRA		(NONE)
P315 PT PERYLENE RED		(NONE)

**BRAND NAMES**

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

**Brand Name**  
GRUMBACHER PRE-TEST OIL COLORS