# Safety Data Sheet: CHEMSEARCH 15000LTT

Supercedes Date: 10/02/2020 Issuing Date: 04/13/2022

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CHEMSEARCH 15000LTT Recommended use Water treatment chemical Information on Manufacturer

CHEMSEARCH FE DIV. OF NCH CORP.

BOX 152170 **IRVING, TX 75015**  **Product Code: C777** 

Chemical nature Aqueous solution

**Emergency Telephone** CHEMTREC® 800-424-9300

Telephone inquiry 972-579-2477

# 2. HAZARD IDENTIFICATION

Color Amber Physical state Liquid **Odor** Sweet Citrus

GHS

Classification

Physical Hazards

Category 1 Corrosive to Metals

Health Hazard

Skin Corrosion/Irritation

Category 1 Serious Eye Damage/Eye Irritation Category 1

Other hazards

None

Labeling Signal Word DANGER



# Hazard statements

H314 - Causes severe skin burns and eye damage

H290 - May be corrosive to metals

# Precautionary Statements

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P261 - Avoid breathing mist

P270 - Do not eat, drink or smoke when using this product

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water or shower.

P332 + P313 - If skin irritation occurs, get medical attention.

P363 - Wash contaminated clothing before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for

P342 + P311 - If experiencing respiratory symptoms, call a physician.

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.

P390 - Absorb spillage to prevent damage.

P406 - Store in corrosion resistant container with a resistant inner liner

P501 - Dispose of contents and container in accordance with applicable regulations

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical name        | CAS No.    | Weight-% |
|----------------------|------------|----------|
| Sodium hydroxide     | 1310-73-2  | 3-7      |
| Sodium tolyltriazole | 64665-57-2 | 1-5      |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

**General advice** Do not get in eyes, on skin or on clothing. Do not breathe mist.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Get medical attention immediately.

Skin Contact Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least

least 15 minutes. Get medical attention immediately.

Inhalation Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial

artificial respiration. Get medical attention immediately.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately.

Notes to physician The product causes burns of eyes, skin and mucous membranes. Control of circulatory system,

shock therapy if needed.

### 5. FIRE-FIGHTING MEASURES

Flash Point Does not flash Method No data available

Flammability Limits in Air %: Hydrogen, by reaction with Upper: 75 Lower: 4

metals.

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Material can create slippery conditions.

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 3 Flammability 0 Instability 0
HMIS - Health 3 Flammability 0 Physical Hazard 0

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can

create slippery conditions.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

**Methods for Cleaning Up** Pick up and transfer to properly labeled containers.

Neutralizing Agent Acetic acid, diluted.

# 7. HANDLING AND STORAGE

Handling Do not get in eyes, on skin or on clothing. Do not breathe mist.

Storage Store in original container. Metal containers must be lined. Keep containers tightly closed in a dry,

cool and well-ventilated place. Keep away from direct sunlight. Freezing will affect the physical

condition but will not damage the material. Thaw and mix before using.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines** 

| Chemical nam    | e CAL/OSH    | A PEL ACGIH           | TLV OSHA PEL                  | NIOSH   |
|-----------------|--------------|-----------------------|-------------------------------|---|
| Sodium hydroxid | e No data av | railable Ceiling: 2 r | ng/m <sup>3</sup> TWA: 2 mg/m | 3 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup> |

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should

should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

**Eye/Face Protection** Tightly fitting safety goggles. Face-shield.

**Skin Protection** Wear suitable protective clothing, Impervious gloves.

**Respiratory Protection**In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the

workstation location. Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Issuing Date 04/13/2022

Viscosity Physical state Liquid Non viscous Color Amber Odor Sweet Citrus **Odor Threshold** Not applicable **Appearance** Transparent рΗ > 13.0 **Specific Gravity** 1.154

**Evaporation Rate** 0.5 (BuAc = 1)Percent Volatile (Volume) No information available

**VOC Content (%)** VOC Content (g/L) 2.54 0.22

Vapor pressure 15.2 mmHg @ 70°F Vapor Density No information available Solubility n-Octanol/Water Partition No data available Soluble Melting Point/Range No data available **Decomposition Temperature** No data available

**Boiling Point/Range** No data available Flammability (solid, gas) No data available **Flash Point** Does not flash Method No data available

**Autoignition Temperature** No information available.

Flammability Limits in Air %: Hydrogen, by reaction with metals Upper: 75 Lower: 4

### 10. STABILITY AND REACTIVITY

**Chemical Stability** Stable. Hazardous polymerization does not occur.

Conditions to Avoid Keep away from open flames, hot surfaces, and sources of ignition, Protect from direct sunlight and extremes of temperatures.

Strong oxidizing agents, Acids, Light and/or alkaline

metals, Halogenated hydrocarbon, Reducing agents, Aldehydes.

**Decomposition Temperature** No data available

**Hazardous Decomposition Products** Carbon oxides, Nitrogen oxides (NOx), Hydrocarbons, Hydrogen

cyanide, Phosphorus compounds, Contact with metals liberates

hydrogen gas.

**Possibility of Hazardous Reactions** None under normal processing.

### 11. TOXICOLOGICAL INFORMATION

No information available. **Product Information** 

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 No information available **Dermal LD50** No information available

Inhalation LC50

**Incompatible Products** 

No information available Gas Mist No information available Vapor No information available

**Principle Route of Exposure** Skin contact, Eye contact, Inhalation.

**Primary Routes of Entry** None known.

Acute Effects:

Eves Corrosive to the eyes and may cause severe damage including blindness.

Skin Causes skin burns.

Inhalation Harmful by inhalation. Causes burns.

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the Ingestion

esophagus and the stomach.

**Chronic Toxicity** Inhaled corrosive substances can lead to a toxic edema of the lungs.

**Target Organ Effects:** Skin, Eyes, Respiratory system. **Aggravated Medical Conditions** Respiratory disorders, Skin disorders.

Component Information

**Acute Toxicity** 

| . iowie iowieny                    |                 |                         |                   |                   |                   |  |
|------------------------------------|-----------------|-------------------------|-------------------|-------------------|-------------------|--|
| Chemical name                      | Oral LD50       | Dermal LD50             | Inhalation LC50   | Draize Test       | Other             |  |
| Sodium hydroxide<br>1310-73-2      | 325 mg/kg (rat) | = 1350 mg/kg (rabbit)   | No data available | No data available | No data available |  |
| Sodium tolyltriazole<br>64665-57-2 | 640 mg/kg       | > 2000 mg/kg ( Rabbit ) | No data available | No data available | No data available |  |

**Chronic Toxicity** 

| Chemical name                 | Mutagenicity      | Sensitization     | Developmental<br>Toxicity | Reproductive<br>Toxicity | Target Organ Effects           |
|-------------------------------|-------------------|-------------------|---------------------------|--------------------------|--------------------------------|
| Sodium hydroxide<br>1310-73-2 | No data available | No data available | No data available         | No data available        | Skin; Eyes; Respiratory system |

Carcinogenicity There are no known carcinogens in this product.

# 12. ECOLOGICAL INFORMATION

**Product Information** No information available. Additional Ecological Information: No information available

Component Information

| Chemical name    | Toxicity to Algae         | Toxicity to Fish                  | Microtox                 | Crustacea                 | Partition |
|------------------|---------------------------|-----------------------------------|--------------------------|---------------------------|-----------|
|                  |                           |                                   |                          |                           | coefficie |
|                  |                           |                                   |                          |                           | nt        |
| Sodium hydroxide | No information available. | CL50 (Oncorhynchus mykiss, 96h) = | No information available | No information available. | N/A       |
|                  |                           | = 45.4 mg/L                       |                          |                           |           |

Persistence and Degradability
Bioaccumulation
No information available.
No information available.
No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal. Do not re-use

empty containers.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE)

Hazard Class 8 UN-No UN1719

Packing Group

Description UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE), 8,

PG II

**TDG** 

Proper shipping name CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE)

Hazard Class 8
UN-No UN1719
Packing Group II

Description UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE), 8,

PG II

ICAO

**UN-No** UN1719

Proper Shipping Name CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE)

Hazard Class 8
Packing Group

Shipping Description UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE), 8,

PG II

IATA

**UN-No** UN1719

Proper Shipping Name CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE)

Hazard Class 8
Packing Group

Shipping Description UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE), 8,

PG II

IMDG/IMO

**UN proper shipping name**CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE)

Hazard Class 8
UN Number UN1719
Packing Group II

Description UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S., (SODIUM TOLYLTRIAZOLE, SODIUM HYDROXIDE), 8,

PG II

15. REGULATORY INFORMATION

Inventories

TSCA Listed DSL / NDSL Listed

U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazardous Categorization

See Section 2

#### **CERCLA**

| Chemical name    | Hazardous Substances RQs | CERCLA EHS RQs |
|------------------|--------------------------|----------------|
| Sodium hydroxide | 1000 lb                  | Not applicable |

# 16. OTHER INFORMATION

Prepared By Pamela Starkey
Supercedes Date: 10/02/2020
Issuing Date: 04/13/2022

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

CHEMSEARCH FE DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.